SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

· Hardy Si WP

Other means of identification : Not available.

Recommended use of the chemical and restrictions on use

Chemical family	 Agricultural amendment. Restriction on use: None Mixture 	known
Name, address, and tele of the supplier:	phone number	Name, address, and telephone number of the manufacturer:
AgVent LLC 1231 E 1420 N Richfield, OR, USA 83349		Refer to supplier
Supplier's Telephone #	: 1-855-844-4632 (9am-5p	om PST Monday to Friday)
24 Hr. Emergency Tel #	: 1-855-844-4632 (9am-5p	om PST Monday to Friday)

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Brown granular powder. Mild odour.

This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Label elements

Hazard pictogram(s)

None required under U.S. OSHA Hazcom 2012 and Canadian WHMIS 2015 regulations.

Signal Word

Not required

Hazard statement(s)

Not required

Precautionary statement(s)

Not required

Other hazards

Other hazards which do not result in classification: May cause mild transient irritation. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	Common name and synonyms	<u>CAS #</u>	Concentration (% by weight)
Humic acids	Alkali Extracted Humic Acid	1415-93-6	1.0 - 5.0
Hydrated amorphous silica	Monosilicic acid	10279-57-9	1.0 - 5.0

Page 1 of 10

Page 2 of 10

SAFETY DATA SHEET

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

Description of first aid	magsuras
•	
Ingestion	: Do not induce vomiting, unless directed to do so by qualified medical personnel. Give small amounts of water to drink. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.
Inhalation	 If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration.
Skin contact	 Wash off with soap and plenty of water. If skin irritation occurs: get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Eye contact	 Flush eyes with water for at least 15 minutes. If eye irritation persists: get medical advice/attention.
Most important sympto	oms and effects, both acute and delayed
	 May cause mild transient irritation. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Indication of any immed	diate medical attention and special treatment needed
	: Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

: Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.

Unsuitable extinguishing media

: Use water spray with caution. Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

: Not considered flammable.

Flammability classification (OSHA 29 CFR 1910.106)

: Not flammable.

Hazardous combustion products

: Carbon oxides and other irritating fumes and smoke.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters must use standard protective equipment including flame retardant coat,

helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Special fire-fighting procedures

: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Use water to cool fire-exposed containers. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply or any natural waterway. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.

Page 3 of 10

SAFETY DATA SHEET

Environmental precautions Methods and material for con		Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply. inment and cleaning up				
	:	Ventilate area of release. Stop the spill at source if it is safe to do so. Remove all sources of ignition. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Notify the appropriate authorities as required.				
Special spill response proce	Special spill response procedures					
	:	If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802). US CERCLA Reportable quantity (RQ): None.				
SECTION 7. HANDLING AND STORAGE						

Precautions for safe handling

	:	Wear protective gloves and eye/face protection. Use only in well-ventilated areas. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment. Avoid breathing fumes or mists. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.Keep away from incompatibles. Keep containers tightly closed when not in use.
Conditions for asfa starage		Store in original containers. Store at temperatures between 4.4°C - 49°C.Containers
Conditions for safe storage	:	which are opened must be carefully resealed and kept upright to prevent leakage.
Incompatible materials	:	None known or reported by the manufacturer.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:				
Chemical Name	ACGI	I TLV	<u>OSHA</u>	PEL
	TWA	<u>STEL</u>	PEL	<u>STEL</u>
Humic acids	N/Av	N/Av	N/Av	N/Av
Hydrated amorphous silica	N/Av	N/Av	N/Av	N/Av

Exposure controls

Ventilation and engineering measures

	:	Use only in well-ventilated areas. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.
Respiratory protection		Respiratory protection is required if the concentrations exceed the TLV. NIOSH-approved respirators are recommended. A self contained breathing apparatus should be used in emergency situations or instances where exposure levels are not known. Seek advice from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.
Skin protection	:	Wear protective gloves. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye / face protection	:	Wear as appropriate: Chemical safety glasses with side shields or splash proof goggles.
Other protective equipment	:	An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.

Page 4 of 10

SAFETY DATA SHEET

General hygiene considerations

: Do not ingest. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

SECTION 9. PHYSICAL A	ND	CHEMICAL PROPERTIES
Appearance	:	Dark brown powder.
Odour	:	Mild odour.
Odour threshold	:	Not available.
рН	:	7-9
Melting Point/Freezing point	:	Not available.
Initial boiling point and boili	ng	range
	:	Not available.
Flash point	:	Not available.
Flashpoint (Method)	:	Not available.
Evaporation rate (BuAe = 1)	:	Not available.
Flammability (solid, gas)		Not applicable.
Lower flammable limit (% by	vo	l.)
	:	Not available.
Upper flammable limit (% by	vo	l.)
	:	Not available.
Oxidizing properties	:	None known.
Explosive properties	:	Not explosive
Vapour pressure	:	Not available.
Vapour density	:	Not available.
Relative density / Specific gr	avi	ity
	:	Not available.
Solubility in water	:	Soluble.
Other solubility(ies)	:	Not available.
Partition coefficient: n-octan	ol/	water or Coefficient of water/oil distribution
	:	Not available.
Auto-ignition temperature	:	Not applicable.
Decomposition temperature	:	Not available.
Viscosity	:	Not available.
Volatiles (% by weight)	:	Not available.
Volatile organic Compounds	(V	OC's)
	:	Not available.
Absolute pressure of contain	ner	
	:	Not applicable.
Flame projection length	:	Not applicable.
Other physical/chemical con	nm	ents
	:	None known or reported by the manufacturer.
SECTION 10. STABILITY A	٨N	D REACTIVITY
	_	

Reactivity :	:	Not normally reactive.
Chemical stability :	:	Material is stable under normal conditions.
Possibility of hazardous reactions		
:	:	Hazardous polymerization does not occur.

Page 5 of 10

SAFETY DATA SHEET

Conditions to avoid : Avoid heat and open flame. Keep away from incompatibles. Keep container tightly closed when not in use.

Incompatible materials : See Section 7 (Handling and Storage) for further details.

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation	:	YES		
Routes of entry skin & eye	:	YES		
Routes of entry Ingestion	:	YES		
Routes of exposure skin absorption				

: YES

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

	:	Under normal conditions of use, harmful effects are not expected.
Sign and symptoms ingestion	η	
	:	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Sign and symptoms skin	:	May cause mild transient irritation.
Sign and symptoms eyes	:	May cause mild transient irritation.
Potential Chronic Health Effe	ct	S
	:	Chronic skin contact with low concentrations may cause dermatitis.
Mutagenicity	:	Not expected to be mutagenic in humans.
Carcinogenicity	:	No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.
Reproductive effects & Terate	og	enicity
	:	Not expected to have other reproductive effects.
Sensitization to material	:	Not expected to be a skin or respiratory sensitizer.
Specific target organ effects	:	Target Organs: Eyes, skin and digestive system.
		The substance or mixture is not classified as specific target organ toxicant, single exposure.
		The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Medical conditions aggravate	əd	by overexposure
	:	Pre-existing skin, eye and respiratory disorders.
Synergistic materials	:	Not available.
Toxicological data	:	See below for individual ingredient acute toxicity data.

Page 6 of 10

SAFETY DATA SHEET

	LC₅₀(4hr)	LD ₅₀	
Chemical name	inh, rat	(Oral, rat)	(Rabbit, dermal)
Humic acids	N/Av	N/Av	N/Av
Hydrated amorphous silica	N/Av	N/Av	N/Av

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: The ecological characteristics of this product have not been fully investigated. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

Ecotoxicity data:

Insuradiante	040#	Toxicity to Fish					
<u>Ingredients</u>	CAS #	LC50 / 96h	NOEC / 21 day	M Factor			
Humic acids	1415-93-6	N/Av	N/Av	None.			
Hydrated amorphous silica	10279-57-9	N/Av	N/Av	None.			

Ingredients	CAS #	Toxicity to Daphnia				
		EC50 / 48h	NOEC / 21 day	M Factor		
Humic acids	1415-93-6	N/Av	N/Av	None.		
Hydrated amorphous silica	10279-57-9	N/Av	N/Av	None.		

Ingredients	CAS #	Toxicity to Algae					
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor			
Humic acids	1415-93-6	N/Av	N/Av	None.			
Hydrated amorphous silica	10279-57-9	N/Av	N/Av	None.			

Hardy Si WP	
SDS Preparation Date (mm/dd/yyyy): 06/04/2021	

Page 7 of 10

Persistence and degradability

		The methods for determining biodegradability are not applicable to inorganic substances.
Bioaccumulation potential	:	No data is available on the product itself.

SAFETY DATA SHEET

Mobility in soil	: No data is available on the product itself.
Other Adverse Environme	ental effects
	: No data is available on the product itself.
SECTION 13. DISPOSAL	L CONSIDERATIONS
Handling for Disposal	: Handle waste according to recommendations in Section 7.
Methods of Disposal	 Dispose in accordance with all applicable federal, state, provincial and local regulations.
RCRA	• Under the RCRA, it is the responsibility of the waste generator to determine the proper

RCRA : Under the RCRA, it is the responsibility of the waste generator to determine the proper waste identification and disposal method.

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	None.	Not regulated.	not regulated	none	\bigotimes
TDG Additional information	None.	1			
49CFR/DOT	None.	Not regulated.	not regulated	none	\bigotimes
49CFR/DOT Additional	None.	1			

Special precautions for userNone reported by the manufacturer.Environmental hazards:See ECOLOGICAL INFORMATION, Section 12.Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

Page 8 of 10

SAFETY DATA SHEET

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	0.0.4	TSCA	CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical		
	CAS #	Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical de mini Concentr		
Humic acids	1415-93-6	Yes	N/Ap	N/Av	No	NS	
Hydrated amorphous silica	10279-57-9	NL	N/Ap	N/Av	No	NS	

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: None.

Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	y CA MA MN NJ PA					RI
Humic acids	1415-93-6	No	N/Ap	No	No	No	No	No	No
Hydrated amorphous silica	10279-57-9	No	N/Ap	No	No	No	No	No	No

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Humic acids	1415-93-6	215-809-6	Present	Present		KE-19975	Present	
Hydrated amorphous silica	10279-57-9	N/Av		Present			Present	

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists CA: California

Page 9 of 10

SAFETY DATA SHEET

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980

CFR: Code of Federal Regulations

CSA: Canadian Standards Association

Page 10 of 10

SAFETY DATA SHEET

DOT: Department of Transportation EPA: Environmental Protection Agency HMIS: Hazardous Materials Identification System HSDB: Hazardous Substances Data Bank IARC: International Agency for Research on Cancer IATA: International Air Transport Association ICAO: International Civil Aviation Organisation IMDG: International Maritime Dangerous Goods Inh: Inhalation LC: Lethal Concentration LD: Lethal Dose MA: Massachusetts MN: Minnesota N/Ap: Not Applicable N/Av: Not Available NFPA: National Fire Protection Association NIOSH: National Institute of Occupational Safety and Health NJ: New Jersey NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PA: Pennsylvania PEL: Permissible exposure limit RCRA: Resource Conservation and Recovery Act RI: Rhode Island RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act STEL: Short Term Exposure Limit TDG: Canadian Transportation of Dangerous Goods Act & Regulations TLV: Threshold Limit Values TWA: Time Weighted Average WHMIS: Workplace Hazardous Materials Identification System : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & References **Biological Exposure Indices** 2. ECHA - European Chemical Agency 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, (Chempendium, HSDB and RTECs). 4. Safety Data Sheets from manufacturer. 5. US EPA Title III List of Lists 6. California Proposition 65 List 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal Preparation Date (mm/dd/yyyy) : 06/04/2021 Other special considerations for handling

: Provide adequate information, instruction and training for operators.

Page 10 of 10

SAFETY DATA SHEET

Prepared for:

AgVent LLC 1231 E 1420 N Richfield, OR, USA, 83349 Telephone: (208) 401 6631

Prepared by: ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)

http://www.thecompliancecenter.com



DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from AgVent LLC. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc. and AgVent LLC. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and AgVent LLC.

END OF DOCUMENT