OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/29/2014

Reviewed on 09/26/2024

*	1 Identification
	· Product identifier
	 Trade name: Rhizo Life Hardy Prime WP Product description Composed of ancient humus deposits from fresh water cretaceous. Humates
	and micronutrients Potassium Humate Classification #2702.10.0000

- · Details of the supplier of the safety data sheet
- *Manufacturer/Supplier:* AgVent LLC
- · 1231 E 1420 N
- · Richfield, OR, USA, 83349
- · (208) 401 6631
- · Emergency telephone number: 1-855-844-4632

2 Hazard(s) identification

- *Classification of the substance or mixture* The product is not classified according to the Globally Harmonized System (GHS).
- · Label elements
- · GHS label elements Non-Regulated Material
- · Hazard pictograms Non-Regulated Material
- · Signal word Non-Regulated Material
- · Hazard statements Non-Regulated Material
- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTHImage: OFIRE1FIRE1FIRE1REACTIVITY0Reactivity = 0

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description:

Humates and Micronutrients Extract of ancient humus deposits from fresh water cretaceous deposits. Potassium Humate #2702.10-0000

· Dangerous Components:		
7704-34-9	sulphur, precipitated, sublimed or colloidal	2-12%
	🚸 Skin Irrit. 2, H315	-
7447-40-7	Soluble Potash K2O	2-12%
7439-96-5	manganese	≤ 2.5%
	Pyr. Sol. 1, H250; Water-react. 1, H260	

(Contd. on page 2)

OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/29/2014

Reviewed on 09/26/2024

Trade name: Rhizo Life Hardy Prime WP

 7440-66-6
 zinc powder -zinc dust (pyrophoric)
 ≤ 2.5%

 Pyr. Sol. 1, H250; Water-react. 1, H260; Aquatic Acute 1, H400; Aquatic Chronic

 1, H410

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Not anticipated under normal use.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up: Dilute with plenty water.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles:* Store in a dry area out of direct sunlight. Keep out of reach of children.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.
- 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 3)

Safety Data Sheet (SDS) OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/29/2014

Trade name: Rhizo Life Hardy Prime WP

Reviewed on 09/26/2024

(Contd. of page 2)

Components with occupational ex	cposure limits:	
7439-96-5 manganese		
PEL Ceiling limit value: 5 mg/m ³ as Mn		
REL Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ fume, as Mn		
TLV Long-term value: 0.02* 0.1* mg as Mn; *respirable **inhalable		
Additional information: Provide local or general ventilation to The lists that were valid during the c	b keep dust below OSHA nuisance limit of 15 mg/m3. reation were used as basis.	
Breathing equipment:	or handling chemicals should be followed. spiratory protection is recommended for use in airbor Not applicable.	rne concentration
Safety goggles		
Safety goggles Not required. Physical and chemical prope	erties	
Safety goggles Not required. Physical and chemical properiod Information on basic physical and General Information Appearance: Form: Color:	I chemical properties Powder Black	
Safety goggles Not required. Physical and chemical properiod Information on basic physical and General Information Appearance: Form: Color: Odor:	I chemical properties Powder	
Safety goggles Not required. Physical and chemical properiod Information on basic physical and General Information Appearance: Form:	I chemical properties Powder Black Odorless	
Safety goggles Not required. <i>Physical and chemical properation on basic physical and General Information Appearance:</i> <i>Form:</i> <i>Color:</i> <i>Odor:</i> <i>Odor threshold:</i> <i>pH-value @ 20 °C (68 °F):</i>	<i>I chemical properties</i> Powder Black Odorless Not determined.	
Safety goggles Not required. Physical and chemical properiod Information on basic physical and General Information Appearance: Form: Color: Odor: Odor threshold: pH-value @ 20 °C (68 °F): Change in condition Melting point/Melting range:	I chemical properties Powder Black Odorless Not determined. 8 Not determined.	
Safety goggles Not required. Physical and chemical properiod Information on basic physical and General Information Appearance: Form: Color: Odor: Odor threshold: pH-value @ 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	A chemical properties Powder Black Odorless Not determined. 8 Not determined. 445 °C (833 °F)	
Safety goggles Not required. Physical and chemical properiod Information on basic physical and General Information Appearance: Form: Color: Odor: Odor threshold: pH-value @ 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous):	A chemical properties Powder Black Odorless Not determined. 8 Not determined. 445 °C (833 °F) > 440 °C (> 824 °F)	
Safety goggles Not required. Physical and chemical properiod Information on basic physical and General Information Appearance: Form: Color: Odor threshold: pH-value @ 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): Ignition temperature:	A chemical properties Powder Black Odorless Not determined. 8 Not determined. 445 °C (833 °F) > 440 °C (> 824 °F) Not determined.	
Safety goggles Not required. Physical and chemical properiod Information on basic physical and General Information Appearance: Form: Color: Odor: Odor threshold: pH-value @ 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous):	A chemical properties Powder Black Odorless Not determined. 8 Not determined. 445 °C (833 °F) > 440 °C (> 824 °F) Not determined. 260 °C (500 °F)	

OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/29/2014

Trade name: Rhizo Life Hardy Prime WP

Reviewed on 09/26/2024

(Contd. of page 3)

 Explosion limits: 	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not applicable.
Evaporation rate	Not applicable.
 Solubility in / Miscibility with 	
Water:	soluble.
· Partition coefficient (n-octanol/w	ater): Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0.0 %
· Other information	No further relevant information available.
10 Stability and reactivity	

- · Reactivity No further relevant information available.
- · Chemical stability Product is stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Mild irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Carcinogenic categories IAPC (International Agency for Pasaarch on Cancer)

·IA	RC (International Agency for Research on Cancer)	
74	40-48-4 Cobalt	2B
· N1	TP (National Toxicology Program)	
Nc	one of the ingredients is listed.	
	(Contd. on pa	ige 5)

OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/29/2014

Reviewed on 09/26/2024

Trade name: Rhizo Life Hardy Prime WP

(Contd. of page 4)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

2 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

3 Disposal considerations

- · Waste treatment methods
- · *Recommendation:* Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information

 UN-Number DOT, ADR, ADN, IMDG, IATA UN proper shipping name DOT, ADR, ADN, IMDG, IATA Transport hazard class(es) 	Non-Regulated Material Non-Regulated Material	
· DOT, ADR, ADN, IMDG, IATA · Class · Packing group	Non-Regulated Material	
· DOT, ADR, IMDG, IATA	Non-Regulated Material	
 Environmental hazards: Marine pollutant: 	No	
· Special precautions for user	Not applicable.	
 Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code 	f Not applicable.	
· Transport/Additional information:		
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	0 Code: E2 Maximum net quantity per inner packaging: 30 g	
· UN "Model Regulation":	Maximum net quantity per outer packaging: 500 g -	(Contd. on page 6)

Safety Data Sheet (SDS) OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 09/10/2021

Trade name: Rhizo Life Hardy Prime WP

(Contd. of page 5)

Reviewed on 09/26/2024

5 Regulatory information

Section 3	355 (extremely hazardous substances):	
None of the	he ingredients is listed.	
Section 3	313 (Specific toxic chemical listings):	
7439-96-5	5 manganese	
7440-66-6	3 zinc powder -zinc dust (pyrophoric)	
7440-50-8	3 copper	
7440-48-4	4 Cobalt	
TSCA (To	oxic Substances Control Act):	
All ingred	ients are listed.	
Proposit		
	Is known to cause cancer:	
7440-48-4	4 Cobalt	
Chemica	Is known to cause reproductive toxicity for females:	
None of the	he ingredients is listed.	
Chemica	Is known to cause reproductive toxicity for males:	
None of the	he ingredients is listed.	
Chemica	Is known to cause developmental toxicity:	
None of the	he ingredients is listed.	
Carcinoo	jenic categories	
-	vironmental Protection Agency)	
•	5 manganese)
7440-66-6	5 zinc powder -zinc dust (pyrophoric)), I,
7440-42-8	3 boron	(ora
7440-50-8	3 copper)
TLV (Thr	eshold Limit Value established by ACGIH)	
7439-98-7	7 molybdenum	A
1 400 00-1		A
7440-48-4	4 Cobalt	
7440-48-4		
7440-48-4 NIOSH-C	4 Cobalt a (National Institute for Occupational Safety and Health) he ingredients is listed.	
7440-48-4 NIOSH-C None of th GHS labe Hazard p Signal we	a (National Institute for Occupational Safety and Health) he ingredients is listed. Al elements Non-Regulated Material hictograms Non-Regulated Material ord Non-Regulated Material	
7440-48-4 NIOSH-C None of th GHS labe Hazard p Signal we Hazard s	a (National Institute for Occupational Safety and Health) he ingredients is listed. al elements Non-Regulated Material ictograms Non-Regulated Material ord Non-Regulated Material tatements Non-Regulated Material	
7440-48-4 NIOSH-C None of th GHS labe Hazard p Signal we Hazard s National	a (National Institute for Occupational Safety and Health) the ingredients is listed. A elements Non-Regulated Material fictograms Non-Regulated Material ord Non-Regulated Material tatements Non-Regulated Material tatements Non-Regulated Material regulations: uct is subject to be labeled according with the prevailing version of the regulations on haza	rdou
7440-48-4 NiOSH-C None of th GHS labe Hazard p Signal we Hazard s National The prod substance	a (National Institute for Occupational Safety and Health) he ingredients is listed. al elements Non-Regulated Material ictograms Non-Regulated Material ord Non-Regulated Material tatements Non-Regulated Material regulations: uct is subject to be labeled according with the prevailing version of the regulations on haza es.	rdou
7440-48-4 NIOSH-C None of th GHS labe Hazard p Signal we Hazard s National The prod substance State Rig	regulations: uct is subject to be labeled according with the prevailing version of the regulations on haza es.	rdou 2-12

OSHA HazCom 2012 Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/29/2014

Reviewed on 09/26/2024

Trade name: Rhizo Life Hardy Prime WP

	(Con	td. of page 6
7447-40-7	soluble potash K2O	2-12%
7439-89-6	iron	≤ 2.5%
7439-96-5	manganese Ø Pyr. Sol. 1, H250; Water-react. 1, H260	≤ 2.5%
7440-66-6	zinc powder -zinc dust (pyrophoric) Pyr. Sol. 1, H250; Water-react. 1, H260; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≤ 2.5%
7440-42-8	boron	≤ 2.5%
All ingredie	nts are listed.	

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 09/26/2024

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Pyr. Sol. 1: Pyorphoric Solids, Hazard Category 1

Water-react. 1: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 1

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

• * Data compared to the previous version altered.

SDS / MSDS Created by MSDS Authoring Services (www.MSDSAuthoring.com)